Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.23

File With 1948

RECEIVED

JAN 3 0 1948

U.S. Department of Agriculture

WHOLESALE PRICE LIST

1946-1947

ADD 10 PERCENT TO PRICES

NAPERVILLE NURSERIES

NCORPORATED

NAPERVILLE, ILLINOIS



ADVICE TO CORRESPONDENTS, DIRECTIONS TO CUSTOMERS AND CONDITIONS OF SALE

OUR NURSERIES are situated adjacent to the city of Naperville, DuPage County, Illinois, some 28 miles west of Chicago, on the Chicago, Burlington & Quincy Railroad. Popular automobile routes as State Route No. 65, and U.S. Highway No. 34 pass our Nurseries.

All prices named herein are:

Limited to 1946-47 and supersedes those of any previous Wholesale Price List.

For goods f. o. b. Nurseries or cars Naperville, Illinois, exclusive of any packing, express, freight or transportation charges; packing charges are extra in addition to cost of plants. No charge for packing car lot orders in bulk.

Subject to cancellation or change without further notice upon prior sale or depletion of our stock of goods.

In the rush of planting seasons, customers calling at the nursery will be better waited upon and served by making an appointment in advance. It is difficult to always properly serve customers at the nursery on short notice, and especially on Saturdays.

Orders taken at our Sales Room on Sunday. No stock dug on Sunday.

ORDERS. Write plainly and give explicit directions as to address and mode of shipment, whether by freight, express, etc.

Orders are accepted and all shipments made subject to delays or inability to ship or deliver by reason or on account of strikes, accidents, droughts, fire, floods, frost, hail, sleet, war conditions and orders, railroad or express embargoes, priority or other transportation orders, prior sale of stock, stock shortage, labor or car shortage, or any other cause or causes for delay in shipment or delivery of goods which are beyond our control.

Due to general conditions of weather, possible labor shortage and other contingencies, during the digging and shipping season, we do not guarantee to fill all items of an order or orders placed with us in one or first shipment.

Due to current lumber shortage we may not be able to ship items that would require boxing.

stock, we exercise the utmost diligence and care to have it true to name and will, on proper proof, within one year from date to our satisfaction, replace in ordered sizes any that will prove otherwise or refund the amount paid. Any and all sales made by us do not include any warranty expressed, or implied, as to quality, description, productiveness, growth, or any other matter or qualifications pertaining to the Nursery stock sold.

It is mutually agreed and understood between the Purchaser and Ourselves, that in any case we shall not be liable for a sum greater than the amount originally paid us for any tree or plants, etc., that prove untrue.

IN MAKING ALL SHIPMENTS WE CAREFULLY CONSIDER CON-DITIONS IN GENERAL AND ACT ACCORDINGLY. ALL SHIPMENTS AT PURCHASER'S RISK.

In absence of specific instructions, we are to route all shipments according to our best judgment without assuming responsibility.

If destination is a Prepaid Station, freight charges will be prepaid by us and charged for on invoice.

Claims for Errors or Shortages must be filed with us within Ten (10) days after receipt of goods. No claims for errors or shortage in excess of purchase price will be considered. Claims for damage to stock en route by Railroad or Express Company shall be immediately reported and entered with your local agent of transportation company.

Remittances with order will be considered payment on account, inasmuch as chargeable packing charges, or prepaid express or freight, or cost of trucking cannot be ascertained until goods are packed, shipped

or delivered, as the case may be.

All Accounts, 30 days net cash.

2 % Discount allowed on accounts if paid within 10 days from date of shipment.

3 % Dscount allowed if remittance accompanies order.

Where remittance accompanies order same should cover total amount computed at list prices of goods ordered without deducting discount.

Such remittances will be considered payment on account, subject to cash discount. Our invoices will show entire transaction showing price of plants, packing charges, prepaid express or freight, or delivery charges, also discount for cash with order will be applied on invoice as soon as goods are shipped, or delivered, as the case may be.

The condition may arise where the entire amount of all invoices for stock shipped will be less than the amount, or amounts remitted, in which case the unearned portion of remittances will be refunded as soon as the shipping season is over and our books and accounts have been

properly audited, if not before.

Payments for partial shipments shall be due on basis of Invoice dating. Accounts after due dates are subject to sight draft, also interest charge at rate of 6% per annum.

Cash or satisfactory references with order, if purchaser has no credit

established with us.

Certificate of inspection will be furnished with each shipment.

STATE OF ILLINOIS

Dwight H. Greene, Governor

DEPARTMENT OF AGRICULTURE

DIVISION OF PLANT INDUSTRY

Glen Ellyn, Illinois

NURSERYMAN'S CERTIFICATE NO. 322
THIS IS TO CERTIFY THAT the nursery consisting of General Nursery
Stock and field grown Herbaceous Perennials (field inspected) and the
premises of NAPERVILLE NURSERIES, INC., Naperville, Illinois, situated

at Naperville, Illinois, have been inspected by a duly appointed inspector of this office and that said nursery and premises are apparently free from dangerous insect pests and plant diseases.

This certificate is valid until August 1, 1947 unless sooner revoked.

August 28, 1946

C. H. KELTNER, Superintendent

H. F. SEIFERT
Chief Plant Inspector

SCHEDULE OF BALLING AND BURLAPPING CHARGES

When balls of earth (B G B) are required or desired on shrubs, trees or plants not catalogued as balled (B G B) (Hawthorns excluded) add the following charges per piece. Sizes are diameter and depth.

			anged per process					
12"	X	12"	\$1.25	22"	×	16"		3.50
15"	x	15"	1.50	24"	x	18"		5.00
18"	X	15"	1.75	28"	X	20"	***************************************	6.00
20"	×	15"	2.50	30"	x	20"		8.50
			36" x 22"		• • • •	12.0	0	

Trees

All Trees at least transplanted once and spaced for superior development.

	1-4	PRICE EAC 5-24	H 25-100
ACER dasycarpum, Silver Maple 1 ½-2 in. 2-2 ½ in.	\$1.85	\$1.75	
skinneri, Skinners Cutleaf Maple	2.00	1.05	
2-2½ in	3.75	3.00	2.30
3-4 in		5.00	4.60
ginnala, Amur Maple	1.00	00	75
4-5 ft	1.00	.90 1.40	.75
6-8 ft	2.25	2.00	
platanoides, Norway Maple 8-10 ft.	3.75	2.85	2.30
1½-2 in		3.75	2.85
pseudoplatanus, Sycamore Maple 2-21/2 in.	4 00	3.50	
saccharum, Sugar Maple	1.00	3.50	
$1\frac{1}{2}$ -2 in		3.50 4.00	2.85 3.75
3-3½ in		9.50	8.50
Large sizes—P. O. A.			
AESCULUS glabra, Ohio Buckeye 2-21/2 in.	4.60	4.00	
hippocastanum, Horsechestnut	7.00	4.00	
1½-2 in		3.50	
2-2½ in	6.00	5.00	
ALNUS incana, Speckled Alder 5-6 ft.	1.85	1.70	1.15
6-8 ft	3.50	3.00	2.30
8-10 ft	4.00	3.50	2.85
BETULA alba, European White Birch 8-10 ft.	2.00	1.85	1.45
gracilis, Cutleaf Weeping Birch			
$1\frac{1}{2}$ -2 in		4.00 5.00	3.50 4.35
papyrifera, Canoe Birch	2.13	5.00	4.55
$2-2\frac{1}{2}$ in			2.85
If desired B&B see schedule on page 2	4.00	4.00	3.50
CELTIS occidentalis, Hackberry			
1 ½-2 in		2.85	2.30
2-2½ in		4.00 7.00	3.75 5.75
3-4 in1	0.00	9.50	
CERCIS canadensis, American Redbud	1.15	1.00	
2-3 ft	1.15	1.00	.85

FRAXINUS americana, White Ash	1-4	PRICE EAC 5-24	
8-10 ft			\$.75
1½-2 in		1.75	1.40
lanceolata, Green Ash			
8-10 ft	1.00	.95	.75
10-12 ft	2.00	1.75	1.40
mandschurica, Manchurian Ash			
$2-2\frac{1}{2}$ in		2.85 3.50	2.30 2.85
GLEDITSIA triacanthos, Common Honeylocust			
8-10 ft	3.75	2.85 3.50	2.30
2-2 ½ in		5.00	4.30
GYMNOCLADUS dioica, Kentucky Coffeetree			
$1\frac{1}{2}$ -2 in		2.85 4.00	2.30 3.50
	4.00	4.00	3.50
JUGLANS cinerea, Butternut	2 85	2.30	1.75
2-2½ in		3.50	2.60
2½-3 in	5.75	5.00	4.30
nigra, Black Walnut	2.00	1.05	1.45
$1\frac{1}{2}$ -2 in		1.85	1.45 3.50
	1.00	1.00	3.30
LARIX laricina (americana), American Larch 6-8 ft. B&B	7 50	7.00	6.00
8-10 ft. B&B		11.00	10.00
MAGNOLIA soulangeana, Saucer Magnolia 3-4 ft. B&B	7.50	7.00	
MALUS angustifolia, Southern Crab			
	1.50	1.15	1.00
6-8 ft		2.30	1.85
8-10 ft	3.75	2.85	2.30
arnoldiana, Arnold Crab	2.00	1.85	1.45
6-8 ft		2.85	2.30
atropurpurea			
7-8 ft	2.85	2.30	1.85
8-10 ft	3.50	2.85	2.30
atrosanguinea, Carmine Crab	2.05	2.30	1.05
6-8 ft		2.85	1.85
coronaria, Wild Sweet Crab			
4-5 ft	1.00	.90	.75
5-6 ft	1.40 2.85	1.15	1.00
6-8 ft		2.85	2.30
floribunda		1000	A. M. C.
4-5 ft	1.00	.90	.75
5-6 ft	1.45	1.15	1.00
6-7 ft	2.00	1.85	1.45

MARIE I III	1-4	PRICE EAC 5-24	
MALUS halliana parkmani, Parkman Crab 5-6 ft.		- 1-79	
6-8 ft	2.85	2.30	
8-10 fthopa, Hopa Crab	3.75	2.85	2.30
5-6 ft	1.40	1.15	1.00
6-8 ft	2.85	2.30	1.85 2.30
8-10 ftioensis, Prairie Crab	5.15	2.03	2.50
5-6 ft	1.40	1.15	1.00
6-8 ft		2.30	1.85 2.30
niedzwetzkyana, Redvein Crab	3.15	2.05	2.50
5-6 ft	1.40	1.15	1.00
6-8 ft		2.30	1.85
scheideckeri, Scheidecker Crab			
6-8 ft	2.85	2.30	1.85
8-10 ft	3.75	2.85	2.30
MORUS alba tatarica, Russian Mulberry			
6-8 ft	.70	.65	.50
8-10 ft	.85	.80	.70
OSTRYA virginiana, Ironwood			
$2-2\frac{1}{2}$ in	4.00	3.50 5.00	2.85 3.75
	3	3.00	
PLATANUS occidentalis, American Planetree 2-21/2 in.	4.60	4.00	3.75
2½-3 in		5.00	4.30
$3-3\frac{1}{2}$ in	7.50	7.00 8.50	5.75 7.50
4-4½ in			
POPULUS bolleana, Bolleana Poplar			
6-8 ft		1.25	1.00
10-12 ft	2.30	2.00	1.75
$1\frac{1}{2}$ -2 in		2.30	1.85
eugenei, Carolina Poplar	3.13	2.00	2.50
2-2½ in		1.85	1.45
2½-3 in nigra italica, Lombardy Poplar	3.75	2.85	2.30
8-10 ft	1.00	.85	.75
1½-2 in		1.85	1.40
$2-2\frac{1}{2}$ in		2.30 2.85	1.85
simoni. Simon Poplar			100
$1\frac{1}{2}$ -2 in	2.85	2.30 2.85	1.85
2½-3 in		3.50	2.85
tremuloides, Quaking Aspen			1. Th
6-8 ft 8-10 ft			1.00
8-10 ft	2.00	1.00	1.45

PRUNUS americana, American Plum	1-4	PRICE EAG	
5-6 ft			\$.30
6-8 ft			.40
8-10 ft	.75	.60	.45
pennsylvanica, Pin Cherry 8-10 ft.	2 00	1.75	1.45
10-12 ft	2.85	2.30	1.85
serotina, Black Cherry			`
8-10 ft	2.00	1.85	
10-12 ft	2.85	2.30	1.75
QUERCUS coccinea, Scarlet Oak	4 60	4.00	3.50
$2-2\frac{1}{2}$ in		5.00	4.60
macrocarpa, Mossycup Oak			
8-10 ft		3.50	2.85
$1\frac{1}{2}$ -2 in		4.00 5.75	3.75 5.00
2½-3 in		7.50	6.25
palustris, Pin Oak			
8-10 ft		3.50	2.85
$1\frac{1}{2}$ -2 in		4.00 5.75	3.75 5.00
$4\frac{1}{2}$ -5 in.		2.12	٥.٠٠
5-6 in			
rubra, Common Red Oak	1.60	4.00	2.50
8-10 ft	4.60 5.75	4.00 4.60	3.50
$2-2\frac{1}{2}$ in		7.50	
ROBINIA pseudoacacia, Common Locust			
8-10 ft	2.00	1.85	1.45
SALIX alba, White Willow			
8-10 ft,	1.85	1.75	1.15
niobe, Niobe Weeping Willow	1.00	1.50	1.00
5-6 ft			1.00
10-12 ft			1.45
babylonica crispa, Corkscrew Willow			
$1\frac{1}{2}$ -2 in	3.75 4.00		2.30 2.85
2-2½ in	4.00	5.50	2.00
	1.25	1.00	.85
5-6 ft	1.60	1.50	1.25
discolor, Pussy Willow	70	-	4.5
3-4 ft	.70 .85	.60 .65	.45 .50
6-8 ft		1.00	.85
nigra, Black Willow			
5-6 ft	.75		.60
6-8 ft 8-10 ft	1.85	1.75	.85 1.15
pentandra (laurifolia), Laurel Willow			
8-10 ft			1.15
1 ½-2 in			1.45
2-2½ in	٥.٥٥	2.85	2.30

		PRICE EAC	
SORBUS americana, American Mountain-ash 8-10 ft.	1-4 \$2.85	5-24 \$2.30	25-100 \$1.85
$1\frac{1}{2}$ -2 in	3.50	2.85	•
aucuparia, European Mountain-ash			
8-10 ft		1.85	1.45
1-1½ in	3.50	2.85	2.30
quercifolia, Oakleaf Mountain-ash 2-2½ in.	4.00	3.25	
SYRINGA japonica, Japanese Tree Lilac			
8-10 ft		4.50	4.00 4.60
10-12 11	5.75	5.00	4.00
TILIA americana (glabra), American Linden	1 05	1.75	1.15
8-10 ft		2.30	1.85
2-2½ in		2.85	
cordata, Littleleaf European Linden			
8-10 ft		1.85 2.85	1.45 2.3 0
1½-2 in	5.15	2.05	2.50
ULMUS americana, American Elm	1.00	.90	.75
6-8 ft		1.15	1.00
1-1½ in	2.00	1.85	1.40
$1\frac{1}{2}$ -2 in		2.30 3.00	1.85 2.50
	3.70	3.00	2.50
klehmi, Vase Elm 1-1½ in.	2.00	1.85	1.40
$1\frac{1}{2}$ -2 in	2.85	2.30	1.75
2-2½ in	3.50	2.85	2.30
molini, Moline Elm	2 00	1.05	1 45
$1-1\frac{1}{2}$ in		1.85 2.30	1.45
2-2½ in		3.50	2.60
campestris, English Elm			
$2\frac{1}{2}$ in		7.00	5.75
3-4 in	8.00	7.50	
foliacea wheatleyi · 2-2½ in	7 50	7.00	5.75
2½-3 in		8.00	7.00
parvifolia, Chinese Elm			
8-10 ft		1.85	1.45
$1 \frac{1}{2}$ -2 in		2.30 2.85	1.85 2.30
L-L/2 III,	3.50	2.0)	2.50

Evergreens

All Evergreens are dug and priced balled and burlapped.

	PRICE EACH 5-24 25-100
3-4 ft	\$5.00 7.50 10.00
6-7 ft20.00	17.50
CHAMAECYPARIS pisifera plumosa, Plume Retinospora 2-3 ft	2.85 \$2.50
aurea, Goldplume Retinospora	
2-3 ft 3.50	2.85
JUNIPERUS chinensis pfitzeriana, Pfitzer Juniper 15-18 in. 2.60 18-24 in. 3.50 2-2½ ft. 4.60	2.30 1.85 2.85 2.50 4.00 3.65
2½-3 ft 5.75	5.00 4.60
3-4 ft	7.00 5.75
2½-3 ft	7.00 5.75 7.50 7.00
3½-4 ft 9.00	8.00 7.50
pyramidalis, Blue Column Chinese Juniper 3-4 ft 5.75	5.00 4.30
pyramidalis, Green Column Chinese Juniper	
3-4 ft 5.75 4-5 ft 7.00	5.00 4.30 6.25 5.50
sargenti, Sargent Juniper	
15-18 in 2.85	2.50
communis, Common Juniper 18-24 in. 3.50 2-3 ft. 4.00	2.85 3.75
depressa plumosa, Andorra Juniper 15-18 in	2.30 1.85
18-24 in 3.50 2-2½ ft	2.85 2. 50 4. 00 3. 50
hibernica, Irish Juniper 18-24 in	1.75 1.45
2-3 ft 2.85	2.60 2.15
excelsa stricta, Spiny Greek Juniper 15-18 in	2.30
horizontalis, Waukegan Juniper 15-18 in	2.30 1.85
japonica, Japanese Juniper 15-18 in. 3.50 18-24 in. 4.00	2 .85 3.50
sabina cupressifolia, Cypress Savin Juniper 15-18 in	1.75 1.45
18-24 in. 2.85 2-21/2 ft. 4.00	2.60 2.15 3.50 2.85

	PRICE EACH 1-4 5-24 25-100			
JUNIPERUS sabina horizontalis, Bar Harbor Junip	7	3-27	23-100	
15-18 in	\$2.30	\$1.75	\$1.45	
18-24 in	2.85	2.60	2.30	
von ehron, Von Ehron Juniper				
18-24 in	4.00	3.50	2.85	
2-3 ft		4.00	3.65	
scopulorum, Colorado Juniper	~ 00	4.60	4.00	
3-4 ft	5.00	4.60 5.50	4.00 5.00	
4-5 ft	0.00	٥٠,٥	ال	
virginiana, Redcedar	4.00	2.50		
3-4 ft	5.00	3.50 4.25		
	5.00	1.22		
burki, Burk Redcedar 3-4 ft	5 75	5.00	4.30	
4-5 ft	7.50	7.00	5.75	
canaerti, Canaert Redcedar				
3-4 ft	5.75	5.00	4.60	
4-5 ft		7.00	5.75	
5-6 ft	9.00	8.00	7.50	
elegantissima, Goldtip Redcedar				
2-3 ft		3.50	2.85	
3-4 ft	5.00	4.60	4.00	
glauca, Silver Redcedar				
3-4 ft	5.75	5.00	4.60	
globosa, Globe Redcedar				
18-24 in	3.75	2.85		
hilli, Hill Dundee Juniper				
3-4 ft	5.75	5.00		
keteleeri, Keteleer Redcedar				
3-4 ft	5.75	5.00	4.60	
4-5 ft 5-6 ft		7.00 8.00	5.75 7.50	
kosteri, Koster Redcedar	7.00	0.00	7.50	
18-24 in	3.50	2.85	2.50	
2-2½ ft		4.00	3.50	
schotti, Schott Redcedar				
3-4 ft	5.75	5.00	4.60	
4-5 ft	_	7.00	5.75	
5-6 ft	9.00	8.00	7.50	
smithi, Smith Redcedar 3-4 ft	5.00	4.60	4.00	
		5.00	4.60	
	2	2.00	1.00	
PICEA canadensis alba, White Spruce				
18-24 in	3.50	2.85	2.30	
albertiana, Blackhill Spruce	4.00	2.50		
2-3 ft	4.00	3.50	2.85	
excelsa, Norway Spruce	2.20	1	1 45	
18-24 in		1.75 2.30	1.45	
<u> </u>	2.00	2.30	(0.1	

PINUS montana mughus, Mugho Pine	1-4	PRICE EAC 5-24	H 25-100
15-18 in	\$3.50	\$2.85	\$2.50
18-24 in		4.00 4.60	
nigra austriaca, Austrian Pine	3.00		
3-4 ft		4.00 4.60	3.15 3.75
5-6 ft		5.75	4.60
ponderosa, Western Yellow Pine 4-5 ft.	5.00	4.60	4.00
pungens, Table Mountain Pine	1 60	4.00	
2-3 ftsylvestris, Scotch Pine	4.00	4.00	
3-4 ft		4.00	3.15
4-5 ft		4.60 5.75	3.75 4.60
PSEUDOTSUGA douglasi, Douglas Fir			
2-3 tt	3.25	2.85	2.00
TAXUS cuspidata, Japanese Yew			
15-18 in		3.50 4.60	2 .85 4 .00
	3.00		1.00
THUJA occidentalis, American Arborvitae 2-3 ft.	2.85	2.30	1.85
3-4 ft	-	2.85 4.00	2.50 3.50
douglasi aurea, Douglas Golden Arborvita		4.00	3.70
3-4 ft	3.50	2.85	2.60
4-5 ft		4.00	3.50
pyramidalis, Douglas Pyramidal Arbo 5-6 ft		4.25	
6-8 ft		7.50	
pyramidalis, American Pyramidal Arborvi			
18-24 in		1.75 2.30	1.45 1.85
3-4 ft	4.00	3.50	2.85
4-5 ft		4.60 5.75	
rosenthali, Rosenthal Arborvitae			
18-24 in	2.85	2.30	
wareana, Ware Arborvitae			
18-24 in			1.85 2.30
2½-3 ft			
woodwardi, Woodward Arborvitae	2.05	2.20	1.05
18-24 in			
TSUGA canadensis, Canadian Hemlock 2-3 ft	4.00	3.50	

Shrubs

All shrubs are good thrifty, well grown, well rooted transplanted stock suited for immediate effect in landscape work.

ACANITHODANIAY	1.4	PRICE EAC 5-24	CH 25-100
ACANTHOPANAX pentaphylla, Aralia Pentaphylla, 3-4 ft.			\$.30
4-5 ft		.45	.35
AMELANCHIER canadensis, Shadblow Saskatoon			
2-3 ft	60	.50	
AMORPHA fruiticosa, Indigobush			
2-3 ft		.40	.35
4-5 ft		.50 .70	.60
ARONIA arbutifolia, Red Chokeberry	.12	.70	.00
2-3 ft	.50	.45	.35
3-4 ft		.50	.45
brilliantissima, Brilliant Chokeberry	50	15	25
2-3 ft		.45 .50	.35 .45
4-5 ft		.60	.50
melanocarpa, Black Chokeberry			
2-3 ft	.50	.45	.35
3-4 ft	.60	.50 .60	.45 .50
BERBERIS koreana, Korean Barberry	. 70	.00	.50
2½-3 ft	.75	.65	
thunbergi, Japanese Barberry			
15-18 in	.30	.25	
minor, Box Barberry 15-18 in.	.50	.45	.35
18-24 in	.60	.50	.45
variegated			
18-24 in	.50	.45	.35
2-2½ ft	.60	.50	.45
CEPHALANTHUS occidentalis, Common Buttonbu 3-4 ft.	sn .45	.40	.30
4-5 ft	.50	.45	.35
CHIONANTHUS virginicus, White Fringetree			
5-6 ft	90	.85	.75
6-8 ft.	1.15	1.00	.85
CORNUS alba sibirica, Coral Dogwood 2-3 ft.	40	25	25
3-4 ft	.40 .45	.35 .40	.25 .35
4-5 ft	.50	.45	.40
amomum, Silky Dogwood			
3-4 ft	.40	.35	.25
5-6 ft	.45 .50	.40	.30 .35
baileyi, Bailey Dogwood	.50	٠٠٦	.5)
3-4 ft	.50	.45	.35
paniculata, Gray Dogwood 3-4 ft.	A P	10	
4-5 ft	.45 .50	.40 .45	.30
5-6 ft	.60	.50	.35 .45
		.,,	. 15

COPNIIS compuines Plandauis Danuard	1-4	PRICE EA	CH 25-100
CORNUS sanguinea, Bloodtwig Dogwood 2-3 ft.			\$.30
3-4 ft.		رد. و 40.	.35
5-6 ft	.60		.45
6-8 ft			.60
stolonifera, Red-osier Dogwood			
3-4 ft	.40	.35	.25
4-5 ft	.45	.40	.30
5-6 ft	.50	.45	.40
3-4 ft	.50	.45	.35
4-5 ft	.60	.50	.45
5-6 ft	.70	.60	.50
CORYLUS americana, American Hazelnut	25	20	25
2-3 ft	.35	.30	.25
COTONEASTER acutifolia, Peking Cotoneaster		4 =	25
2-3 ft	.50	.45	.35
3-4 ft	.60 .70	.50 .60	. 4 5
villosula, Hairy Peking Cotoneaster	.70	.00	.,0
5-6 ft	1.75	1.40	1.10
divaricata, Spreading Cotoneaster			
2-3 ft	.70	.60	.50
3-4 ft	.85	.80	.70
faveolata, Glossy Cotoneaster	٥٣	00	70
3-4 ft	.85	.80 .85	.70
4-5 ft		1.00	.75
racemiflora scongarica, Sungari Rockspray Coto			رن.
3-4 ft	.75	.70	.60
5-6 ft	1.15	1.00	.85
CYDONIA japonica, Flowering Quince			
18-24 in	.35	.30	.25
umbilicata, Navel Flowering Quince	40	2.5	25
18-24 in	.40	.35	.25
2½-3 ft	.45	.40	.35
DEUTZIA scabra plena, Double Rose Deutzia	.35	.30	.25
2-3 ft	.40	.35	.30
Pride of Rochester, Pride of Rochester Deur		.55	.50
2-3 ft	.35	.30	.25
3-4 ft	.40	.35	.30
DIERVILLA florida venusta			
2-3 ft	.75	.70	
3-4 ft	1.00	.85	
ELAEAGNUS angusifolia, Russian-olive			
3-4 ft	.50	.45	.40
4-5 ft	.60	.50	.45
5-6 ft	.90	.85	.75
EUONYMUS alatus, Winged Euonymus			
18-24 in	.85	.80	.65
compactus, Dwarf Winged Euonymus	.70	.60	.50
18-24 in	.90	.85	.70
2-3 ft	1.15	1.00	.,,
•			

LONICER	A he	lla albida, White Belle Honeysuckle	1-4	PRICE EAG	CH 25-100
2-3	ft.		\$ 35		\$.25
3-4	ft.	***************************************	.40	.35	.28
4-5	ft.	***************************************	.45	.40	.30
5-6	ft.	***********************	.50	.45	.35
	tha,	Coralline Honeysuckle			
2-3		•••••••••••••••	.35	.30	.25
3-4		***************************************	.40	.35	.28
4-5	_	•••••	.45	.40	.30
5-6			.50	.45	.35
	-	orrow Honeysuckle	25	20	25
2-3 3-4		•••••	35	.30	.25
	-		.45	.40	.30
5-6			.50	.45	.35
		a, White Tatarian Honeysuckle	. , 0	. 12	رو.
2-3	ft.	······································	.35	.30	.25
		••••••	.50	.45	.35
		flora, Bride Honeysuckle			
		ft	.30	.25	.20
	3-4	ft	.35	.30	.25
	4-5	ft	.40	.35	.30
	5-6	_ft	.50	.45	.35
ro		Rosy Tatarian Honeysuckle	2.5	20	25
	2-3	ft	.35	.30	.25
	3-4	ft	.40	.35	.28 .30
	4-5 5-6	ft	.45	.40 .45	.35
eil		, Red Tatarian Honeysuckle	.50	رד.	,5)
311		ft	.40	.35	.25
		ft	.50	.45	.35
zabeli.		Red Honeysuckle			
			.35	.30	.25
3-4	ft.	.,	.45	.40	.30
4-5			.50	.45	.35
		•••••	.65	.60	.45
MAHONI	A aq	uifolium, Oregongrape			
15-1	8 in	B&B	2.25	1.75	1.40
		B&B	2.85	2.30	2.00
		JS coronarius, Sweet Mockorange	.35	.30	.25
			.40	.35	.30
_			.50	.45	.40
		e no, Double Mockorange	.,,		
	-	ft	.35	.30	.25
		ft	.40	.35	.30
	5-6	ft	.50	.45	.40
gr		f lorus, Big Mockorange			
		ft	.35	.30	.25
		ft	.45	.40	.30
	_	ft.	.50	.45	35
		, Gordon Mockorange	.35	.30	.25
			.45	.40	.30
			.50	.45	.35
		, Big Scentless Mockorange		CF.	.5)
		, big scentiess mockordinge	.45	.40	.25
			.50	.45	.35
	•				

		DDIOS SA	CII
PHILADELPHUS lemoinei, Lemoine Mockorange	1-4	PRICE EA 5-24	25-100
18-24 in	\$.30	\$.25	\$.20
2-3 ft	.35	.30	.25
virginalis Bouquet Blanc	25	20	25
18-24 in	.35	.30	
PHOTINIA villosa, Oriental Photinia	. 10		
2-3 ft	.45	.40	.30
3-4 ft	.50	.45	.35
PHYSOCARPUS monogynus, Mountain Ninebark			
18-24 in	.35	.30	.25
2-3 ft	.45	.40	.30
opulifolius, Common Ninebark 2-3 ft.	.30	.25	.20
3-4 ft	.35	.30	.25
4-5 ft	.40	.35	.28
5-6 ftluteus, Goldleaf Ninebark	.45	.40	.30
2-3 ft	.30	.25	.20
3-4 ft	.35	.30	.25
5-6 ft	.50	.45	.35
PRUNUS besseyi, Bessey Cherry			
3-4 ft	.50	.45	.35 .45
4-5 ftblireiana Newport	.60	.50	C P .
5-6 ft	1.15	1.00	.85
6-8 ft	1.75	1.40	1.15
cerasifera pissardi, Pissard Cherry	1 15	1.00	. 05
5-6 ft	1.15	1.00	.85
cistena	,,,,	1.10	1.15
5-6 ft		1.00	.85
6-8 ftglandulosa sinensis, Double Pink Flowering Alm		1.40	1.15
18-24 in		.50	.45
pumila, Sand Cherry	, ,,,,,	.,,	
2-3 ft	.40	.35	.30
3-4 fttomentosa, Manchu Cherry	.50	.45	.35
3-4 ft	.65	.60	.50
4-5 ft	.75	.70	.60
virginiana, Common Chokecherry 3-4 ft	FO	4.5	2.5
4-5 ft	.50	.45 .60	.35
5-6 ft		.70	.60
PTELEA trifoliata, Common Hoptree			
4-5 ft	.50	.45	.35
5-6 ft	.60	.50	.45
RHAMNUS cathartica, Common Buckthorn 2-3 ft.	20	25	-
3-4 ft	.30	.25	.20
4-5 ft	.40	.35	.25
5-6 ft	.45	.40	.35
davurica, Dahurian Buckthorn	4.0		
4-5 ft	.40 .50	.35	.30
2	٠,٠	לד.	.35

DHAMMIS francular Classes Budetham	1-4	PRICE EAC 5-24	H 25-100
RHAMNUS frangula, Glossy Buckthorn 2-3 ft		\$.25	\$.20
3-4 ft	.35	φ .25 .30	.25
4-5 ft	.40	.35	.30
5-6 ft	.50	.45	.35
RHODOTYPOS kerricides, Jetbead			
2-3 ft	.45	.40	.30
RHUS aromatica (canadensis), Fragrant Sumac	ΕO	40	25
18-24 in	.50	.40 .50	.35 .45
3-4 ft.	.70	.60	.50
copallina, Flameleaf Sumac			
3-4 ft	.35	.30	.25
4-5 ft	.40	.35	.30
5-6 ftcotinus, Common Smoketree	.50	.45	.35
4-5 ft	.70	.60	.50
5-6 ft	.75	.70	.60
6-7 ft	.90	.85	.75
typhina (hirta), Staghorn Sumac	2.5	20	25
4-5 ft	.35	.30 .35	.25 .30
6-8 ft.	.50	.55 .45	.35
RIBES aureum, Slender Golden Currant	.50		.55
3-4 ft	.35	.30	.25
4-5 ft	.50	.45	.35
ROBINIA hispida, Roseacacia Locust			
3-4 ft	.40	.35	.30
ROSA lucida (virginiana), Virginia Rose 2-3 ft.	.35	.30	.25
multiflora, Japanese Rose			
2-3 ft	.35	.30	.25
3-4 ft	.45	.40	.30
2-3 ft	.45	.40	.30
palustris (carolina), Swamp Rose			
2-3 ftrubiginosa, Sweetbrier Rose	.40	.30	, .2 5
3-4 ft	.40	.30	.25
rubrifolia (ferruginea), Redleaf Rose		.50	
2-3 ft	.45	.40	.30
rugosa rubra, Red Rugosa Rose		~~	
2-3 ftsetigera, Prairie Rose	.60	.50	
3-4 ft	.45	.40	.30
spinosissima, Scotch Rose			.50
2-3 ft	.50	.45	
SAMBUCUS canadensis, American Elder	. 15	40	20
3-4 ft	.45 .50	.40 .45	.30
5-6 ft	.60	.50	.45
aurea, Golden American Elder			
3-4 ft	.50	.45	.35
SHEPHERDIA argentea, Silver Buffaloberry			
3-4 ft	.75	.70	.60
4-5 ft	.90 1.15	.85	.75
J-0 11	נו.ו	1.00	.60

18 NAPERVILLE NURSERIES, INC., NA	Y E R V	ILLE, IL	L11(013
		PRICE EAG	
SORBARIA sorbifolia, Ural Falsespirea	1-4	5-24	
4-5 ft	.50	\$.45	\$.35
SPIRAEA arguta, Garland Spirea			
2-3 ft	.45	.40	.30
3-4 ft	.50	.45	.35
japonica ovalifolia, Ovalleaf Japanese Spirea			
18-24 in	.35	.30	.25
latifolia (bethlehemensis), Broadleaf Meadows	veet '	Spirea	
3-4 ft	.35	.30	.25
thunbergi, Thunberg Spirea			
3-4 ft	.50	.45	.35
trichocarpa, Korean Spirea	.,,		
4-5 ft	.45	.40	.3 5
vanhouttei, Vanhoutte Spirea			~
3-4 ft	.35	.30	
4-5 ft	.45	.40	.30
5-6 ft	.60	.45	.40
SYMPHORICARPOS chenaulti, Chenault Coralber	rv.		
3-4 ft	.60	.50	
racemosus, Common Snowberry	.00	.50	
2-3 ft	.25	.20	.15
3-4 ft	.30	.25	.20
vulgaris, Indiancurrant Coralberry	.50		
2-3 ft	.30	.25	.20
3-4 ft	.35	.30	.25
SYRINGA henryi lutesce, Henry Lutesce Lilac			
2-3 ft	.50	.40	.35
3-4 ft	.60	.50	.45
4-5 ft	.70	.60	.50
5-6 ft	.75	.70	.60
josikaea, Hungarian Lilac	. 1)	.70	.00
3-4 ft	.60	.50	.45
4-5 ft	.70	.60	.50
5-6 ft		.70	.60
persica, Persian Lilac		,,,	.00
2-3 ft	.45	.40	.30
villosa, Late Lilac			
2-3 ft	.50	.40	.35
3-4 ft	.60	.50	.45
4-5 ft	.75	.70	.60
5-6 ft	.85	.80	.70
vulgaris, Common Lilac			
2-3 ft	.35	.30	.25
3-4 ft	.40	.35	.30
4-5 ft	.50	.45	.40
5-6 ft	.70	.60	.50
SYRINGA hybrids			

Charles Joly, Double reddish purple
Charles X, Single reddish purple
Congo, Single red
Emil Lemoinei, Double purple
La Tour D'Auvergne, Double purple
Ludwig Spaeth, Single dark red
Michel Buchner, Double pinkish lilac
President Grevy, Large double blue
Waldeck-Rosseau, Double rose

		RICE EAC	
SYRINGA hybrids	1-4	5-24	25-100
2-3 ft		\$.85 1.00	\$.75 .85
4-5 ft			1.40
5-6 ft		3.50	2.85
TAMARIX africana, African Tamarix	=-0	4.77	
5-6 ftchinese Tamarix	.50	.45	
4-5 ft	.70	.60	
pentandra, Fivestamen Tamarix	7.0	60	
5-6 ftamurensis, Amur Tamarix	.70	.60	
4-5 ft	.45	.40	
VIBURNUM affine hypomalacum (pubescens), D	owny	Viburnun	า
3-4 ft	.60	.50	.45
americanum, American Cranberrybush		50	45
3-4 ft	.60	.50 .60	.45 .50
5-6 ft		.70	.60
carlesi, Koreanspice Viburnum			.00
18-24 in	2.25	1.75	
2-3 ft		2.30	
3-4 ftdentatum, Arrowwood Viburnum	3.50	3.25	
3-4 ft	.60	.50	.45
4-5 ft	.70	.60	.50
5-6 ft	.75	.70	.60
lantana, Wayfaringtree Viburnum	60		45
3-4 ft	.60	.50	.45 . 5 0
5-6 ft	.75	.70	.60
lentago, Nannyberry Viburnum			
3-4 ft	.60	.50	.45
4-5 ft	.70	.60	.50
5-6 ft	.75	.70	.60
molle, Kentucky Viburnum 3-4 ft.	.60	.50	.45
4-5 ft		.60	.50
5-6 ft	.75	.70	.60
opulus, European Cranberrybush	C O	50	. 45
3-4 ft	.60 .70	.50 .60	.45
5-6 ft		.70	.60
sterile, Common Snowball			
2-3 ft		.45	.35
3-4 ft		.50	.45
4-5 ft		.60	.50
prunifolium, Blackhaw Viburnum	.07	.00	.70
3-4 ft		.60	.50
4-5 ft		.70	.60
5-6 ft	.85	.80	.70
WEIGELA Eva Rathke, Eva Rathke Weigela 2-3 ft.	.50	.45	.35
rosea, Oldfashioned Weigela	.50		
2-3 ft	.35	.30	.25

Vines

Transplanted field grown plants.

AMPELOPSIS heterophylla, Porcelain Ampelopsis	1-4	PRICE EAC 5-24	25-100
3 year	.45	\$.40	\$.30
quinquefolia, Virginia Creeper 3 year4 year	.35 .45	.30	.25
engelmanni, Engelmann Ivy 4 year	.35	.30	.25
tricuspidata veitchi, Boston Ivy 2 year	.85	.80	.70
ARISTOLOCHIA sipho, Common Dutchmanspipe 3 year 4 year	.60 .70		.45
BIGNONIA radicans, Trumpet Creeper 4 year	.40	.35	.30
CELASTRUS orbiculata, Oriental Bittersweet 4 year	.35	.30	.25
scandens, American Bittersweet 3 year	.35	.30	.25
CLEMATIS virginiana, Virginsbower 4 year	.35	.30	.25
LYCIUM chinense, Matrimony Vine 3-4 ft.	.35	.30	.25
VITIS aestivalis, Summer Grape 3 year 4 year	.35 .40	.30 .35	.25
WISTARIA sinensis, Chinese Wistaria 2 year	.35	.30	.25

Perennials

Transplanted one and two year field grown plants.

	1-4	PRICE EAC 5-24	25-100
ACONITUM napellus Sparks, Sparks Aconite Monkshood\$	i. 2 5	\$.221/2	\$.20
AJUGA reptans, Carpet Bugle	.18	.15	.12
ALYSSUM saxatile compactum, Dwarf Goldentuft	.18	.15	.131/2
ANEMONE pulsatilla, European Pasqueflower	.22 1/2	.20	.18
AQUILEGIA chrysantha, Golden Columbine Mrs. Scott Elliott's Strain		.171/2	.13½ .13½
ARMERIA Tall hybrids		.171/2	.131/2
ARTEMISIA lactiflora, Ghostplant Wormwood	.20	.171/2	
ASCLEPIAS tuberosa, Butterflyweed		.171/2	.131/2
ASTER alpinus, Alpine Aster novaeangliae, New England Aster. Countess of Dudley Harrington Pink novibelli Beechwood Challenger Mt. Everest	.18	.17½ .15 .17½ .22½ .22½	.131/2
ASTILBE Betsy Cuperus Gloria	.30 .30	.27 ½ .27 ½	.25
BAPTISIA australis, Blue Wildindigo	.20	.171/2	.131/2
BOLTONIA asteroides, White Boltonia	.18 .18	.15 .15	.12
CAMPANULA carpatica, Carpathian Bellflower alba, White Carpathian Bellflower	.20	.17½ .17½ .20 .17½	.13½ .13½ .17½ .13½
CASSIA marilandica, Wild Senna	.22	.18	.14
CHELONE Iyoni, Pink Turtlehead	.25	.20	.171/2
CHRYSANTHEMUM maximum Alaska		.15 .18	.12 .13½
CIMICIFUGA davurica, Dahurian Bugbane racemosa, Cobush Bugbane		.20 .20	.171/2
CLEMATIS heracleaefolia davidiana, Fragment Tube Clematis integrifolia, Solitary Tube Clematis recta, Ground Clematis mandschurica, Manchurian Ground Clematis	.25 .25	.20 .20 .20	.17½ .17½ .17½
CONVALLARIA majalis, Lily of the Valley	.20	.171/2	.15
COREOPSIS grandiflora, Bigflower Coreopsis Double Sunburst		.15 .20	.12

	1-4	PRICE EA	CH 25-100
DELPHINUM belladonna		\$.18	
bellamosum	.20		.131/2
Blackmore & Langdon hybrids	.20	.18	.15
chinensisPacific hybrids		.10	.13 1/2
DIANTHUS barbatus, Sweet William,	,	/2	.20
pink, red or white	.20	.18	.131/2
deltoides (procumbens), Maiden Pink	.20	.18	.131/2
plumarius Cyclops		.18 .20	.171/2
DICENTRA eximia, Fringed Bleedingheart		.20	.171/2
spectabilis, Oldfashioned Common	.4.3	.20	.11/2
Bleedingheart	.50		
DICTAMNUS albus (fraxinella caucasicus),			
ruber (purpureus)	.30	.25 .25	
DIGITALIS grandiflora (ambigua),	.50	.23	
Yellow Foxglove	.18	.15	.12
ECHINACEA purpurea, Purple Echinacea		.15	.12
The King	.25	.221/2	
White Lustre		.221/2	
ERIGERON speciosus, Oregon Fleabane		.18	.131/2
ERYNGIUM amethystinum, Amethyst Eryngo	.20	.18	.131/2
EUONYMUS fortunei vegetus, Bigleaf Wintercreeper Euonymus 12-15 in.	.85	.75	.60
EUPATORIUM coelestinum,			
Mistflower Eupatorium	.20	.18	.131/2
EUPHORBIA polychroma , Cushion Spurge	.22	.20	.18
HARDY FERNS:			
ASPLENIUM filixfemina, Lady Fern DICKSONIA punctilobula, Hay-scented Fern		.25 .25	.171/2
DRYOPTERIS spinulosa, Toothed Wood Fern		.25	.171/2
OSMUNDA cinnamomea, Cinnamon Fern	.30	.25	.171/2
claytoniana, Interrupted Fern	.30	.25	.171/2
GAILLARDIA aristata, Common Perennial Gaillardia	.18	.15	.12
GRASSES:			
EULALIA japonica variegated, Striped Eulalia PENNISETUM japonica, Fountain Grass		.20 .20	.171/2
GYPSOPHILA paniculata, Babysbreath	.18	.15	.12
repens bodgersi, Bodger Creeping Gypsophila viscosa Bristolfairy		.20 .45	.171/ ₂ .40
HELIOPSIS scabra Incomparabilis		.20	.171/2
HEMEROCALLIS Anna Betscher, golden yellow		.18	.14
Florham	.20	.171/2	.131/2
fulva, Tawny Daylily		.15	.12
Kwanso	.18	.15	.12
thunbergi, Thunberg Daylily		.15	.12

	1-4	PRICE EA	CH 25-100
HIBISCUS mixed		\$.15	\$.12
HOLLYHOCKS, Double pink, red or yellow	.20	.18	.131/2
HOSTA aurea variegata, yellow banded foliage fortunei, Fortunes Plantain-lily	.25	.20 .17½ .17½ .20	.17½ .13½ .13½ .13½
IRIS kaempferi, Japanese Iris sibirica, Sibertan Iris Snow Queen	.20 .18 .18	.17½ .15	.15
LIATRIS pycnostachya, Kansas Gayfeather scariosa, Tall Gayfeather	.20	.17½ .17½ .22½	.131/2
LINUM perenne, Perennial Flax	.18	.15	.12
LYCHNIS chalcedonica, Maltese Cross Campion	.20	.18	.131/2
LYTHRUM salicaria Brightness	.25	.20	.171/2
MERTENSIA virginica, Virginia Bluebells	.18	.15	.12
MONARDA didyma, pink Cambridge Scarlet		.18	.131/2
MYOSOTIS alpestris, Alpine Forgetmenot	.18	.15	.12
NEPETA mussini, Persian Nepeta	.25	.221/2	
PACHYSANDRA terminalis, Japanese Pachysandra	.18	.15	.12
PAEONIA chinensis: Festiva Maxima Madame Emil Lemoinei Primevere Martha Bullock Mons Jules Elie Reine Hortense Therese Felix Crousse	.50 .75 .65 .65 .60	.35 .40 .65 .50 .50 .50	
PENTSTEMON torreyi, Torrey Penstemon	.20	.18	.131/2
PHLOX divaricata, Blue Phlox	.20	.18	.131/2
Africa Baron Von Heckeren Bluehill Champs Elysee Enchantress Europe Flora J. Reidy Frau Anton Buchner George Stipp Leo Schlageter Mme. P. Langier subulata alba, White Moss Phlox atropurpurea	.20 .25 .20 .20 .20 .20 .25 .25 .25	.20 .17½ .17½ .20 .17½ .17½ .17½ .17½ .20 .20 .20	.17½ .13½ .13½ .17½ .13½ .13½ .13½ .13½ .17½ .17½ .17½ .17½ .17½
	.20		

	1-4	PRICE EA	CH 25-100
PHYSOSTEGIA virginiana, Virginia Lionsheart	\$.20	\$.18	\$.131/2
PLATYCODON grandiflorum, Balloonflower album, White Balloonflower		.15	.12
PRIMLA sylvestris	.20	.18	.15
PYRETHRUM hybridum Kelways, Painted Lady	.20	.171/2	.131/2
RUDBECKIA speciosa (newmanni), Showy Coneflower	.20	.171/2	
SCABIOSA caucasica, Caucasian Scabious		.171/2	.15
SEDUM spectabile, Showy Stonecrop	.20	.18	.131/2
STATICE latifolia, Pinkball Thrift	.25	.20	.171/2
STOKESIA laevis (cyanea), Stokesia	.20	.171/2	.131/2
THALICTRUM adiantifolium, Maidenhair Meadowrue minus, Low Meadowrue		.221/2	.131/2
THERMOPSIS caroliniana, Carolina Thermopsis	.25	.20	.171/2
TROLLIUS ledebouri Golden Queen	.25	.20	.171/2
VERONICA incana, Woolly Speedwell	.25	.17½ .17½ .20 .22½	.13½ .13½ .17½ .20
VINCA minor, Common Periwinkle		.15	.12
VIOLA cornuta Blue Perfection Chinese Blue Yellow Gem odorata, Sweet Violet Royal Robe	.18 .18 .18 .18	.15 .15 .15 .15 .22½	.12
YUCCA filamentosa, Adamsneedle Yucca, 3 yr.	.35	.30	.25



